THE AERONAUTICAL JOURNAL

OF THE ROYAL AERONAUTICAL SOCIETY

Volume CIX

January-December 2005

Subject Index

ACOUSTICS

Acoustic validation of a new code using particle wake aerodynamics and geometrically-exact beam structural dynamics. F. Nitzsche and D.G. Opoku, pp 257-267.

Life before and after implementation of an acoustic noise reduction enclosure. B. Timmin, pp 65-74.

Prediction of acoustic resonance phenomena for cavities using detached eddy simulations. R.M. Ashworth, pp 631-638.

AERODYNAMICS

Technical Note: A theoretical description of viscous flow along a flat plate. R.C. Hastings, pp 585-589.

Effects of leading-edge bevel angle on the aerodynamic forces of a non-slender 50° delta wing. J.J. Wang and S.F. Lu, pp 403-407.

Kite performance testing by flying in a circle. J. Stevenson, K. Alexander and P. Lynn, pp 269-276.

Status and perspectives of laminar flow. G. Schrauf, pp 639-644.

AEROELASTICITY

Acoustic validation of a new code using particle wake aerodynamics and geometrically-exact beam structural dynamics. F. Nitzsche and D.G. Opoku, pp 257-267.

High-fidelity computational simulation of nonlinear fluid-structure interactions. R.E. Gordnier and M.R. Visbal, pp 301-312.

Low frequency behaviour of the subsonic doublet lattice method. L. van Zyl, pp 285-291.

Modelling and vibration of thin-walled rotating composite blades featuring extension-twist elastic coupling. S-Y. Oh, L. Librescu and O. Song, pp 233-246.

Polynomial series expansion for optimisation of wing plane structures in idealised critical flutter conditions. S. Tizzi, pp 23-33.

AEROSPACE ENGINEERING

Design and structural analysis of a thrust chamber for a spinning supersonic rocket – a case study. K.M. Rajan and K. Narasimhan, pp 187-192.

Jet thrust vectoring using a miniature fluidic oscillator. G. Raman, S. Packiarajan, G. Papadopoulos, C. Weissman and S. Raghu, pp 129-138.

Solar-powered space flight. M.H.D. Kemp, pp 619-670.

AIR TRAFFIC MANAGEMENT

Equipment failures in ATC: Finding an appropriate safety target. B. Subotic, W. Ochieng and A. Majumdar, pp 277-284.

Semi-optimal co-ordinated manoeuvres for aircraft conflict resolution. J. Parastari and M.B. Malaek, pp 313-323.

Studies of capacity estimation of the airport with two parallel runways. Y. Cao, Y. Chen and Y. Zhou, pp 395-401.

BOOK REVIEWS – BY AUTHOR

Ashby, M.F. and Jones, D.R.H. Engineering Materials 1: an Introduction to Properties, Applications and Design – Third edition, p 390.

Baker, A. *et al* (Ed) Composite Materials for Aircraft Structures – Second edition, p 417.

Barton, D.K. Radar System Analysis and Modeling, p 391.

Batra, R.C. Elements of Continuum Mechanics, p 391.

Cumpsty, N. Jet Propulsion: a simple guide to the aerodynamic and thermodynamic design and performance of jet engines – Second edition, p 358.

Curry, G.R. Radar System Performance Modeling – Second edition, p 391.

Driels, M.R. Weaponeering: Conventional Weapon System Effectiveness, p 200.

Gutman, S. Applied Min-Max Approach to Missile Guidance and Control. Progress in Astronautics and Aeronautics series – Vol 209, p 418.
Hosford, W.F. Mechanical Behaviour of Materials, p 390.
Howe, D. Aircraft Loading and Structural Layout, p 200.
Jones, D.R.H. and Ashby, M.F. Engineering Materials 1: an Introduction to Properties, Applications and Design – Third edition, p 391.
Reddy, A.V. Investigation of Aeronautical and Engineering Component Failures, p 358.
Stengel, R.F. Flight Dynamics, p 417.
Taylor, J.R. Classical Mechanics, p 201.

BOOK REVIEWS – BY TITLE

Aircraft Loading and Structural Layout, D. Howe, p 200.
Applied Min-Max Approach to Missile Guidance and Control. Progress in Astronautics and Aeronautics series – Vol 209, S. Gutman, p 418.
Classical Mechanics, J.R. Taylor, p 201.
Composite Materials for Aircraft Structures – Second edition, A. Baker *et al* (Editor), p 417.
Elements of Continuum Mechanics, R.C. Batra, p 391.
Engineering Materials 1: an Introduction to Properties, Applications and Design – Third edition, M.F. Ashby and D.R.H. Jones, p 390.
Flight Dynamics, R.F. Stengel, p 417.
Investigation of Aeronautical and Engineering Component Failures, A.V. Reddy, p 358.
Jet Propulsion: a simple guide to the aerodynamic and thermodynamic design and performance of jet engines – Second edition, N. Cumpsty, p 358.
Mechanical Behaviour of Materials, W.F. Hosford, p 390.
Radar System Analysis and Modeling, D.K. Barton, p 391.
Radar System Performance Modeling – Second edition, G.R. Curry, p 391.
Weaponeering: Conventional Weapon System Effectiveness, M.R. Driels, p 200.

COMPOSITES

Design of composite helicopter rotor blades to meet given cross-sectional properties. S.L. Lemanski, P.M. Weaver, G.F.J. Hill, pp 471-475.
Modelling and vibration of thin-walled rotating composite blades featuring extension-twist elastic coupling. S-Y. Oh, L. Librescu and O. Song, pp 233-246.

COMPUTATIONAL FLUID DYNAMICS

Computational fluid dynamics study of unconventional air vehicle configurations. R. Ramamurti, W. Sandberg, P. Vaiana, J. Kellogg and D. Cylinder, pp 337-347.
Evaluation of CFD methods for transport aircraft high lift systems. R. Rudnik, P. Eliasson and J. Perraud, pp 53-64.
Numerical simulation of rim seal flows in axial turbines. J. Boudet, V.N.D. Autef, J.W. Chew, N.J. Hills and O. Gentilhomme, pp 373-383.
Progress toward CFD for full flight envelope. E.N. Tinoco, D.R. Bogue, T-J. Kao, N.J. Yu, P. Li and D.N. Ball, pp 451-460.

COMPUTATIONAL TECHNIQUES (GENERAL)

A numerical study on the mixing of air and hydrogen in a scramjet combustor. M. Ali and T. Fujiwara, pp 325-335.
Application of Java and VRML visualisation tools in store release wind-tunnel testing. D.M. Orchard, M. Ahmadi and F.C. Tang, pp 569-576.
High-fidelity computational simulation of nonlinear fluid-structure interactions. R.E. Gordnier and M.R. Visbal, pp 301-312.
Neuro-fuzzy approach for performance optimisation of variable nozzle turbofan engine. T.R. Nada and A.A. Hashem, pp 139-146.

DEFENCE

Flight control system damage simulation using freely flying models. S. Sadovnychiy, A. Ryzhenko and A. Betin, pp 45-50.

DESIGN

Bio-inspired design of flapping-wing micro air vehicles. K.D. Jones, C.J. Bradshaw, J. Papadopoulos and M.F. Platzer, pp 385-393.
Development of an airship for tropical rain forest canopy exploration. G.E. Dorrington, pp 361-372.

ENVIRONMENTAL ENGINEERING

Air Travel – Greener by Design Mitigating the environmental impact of aviation: Opportunities and priorities. J.E Green, pp 361-416.
Erratum: Greener by Design – The technology challenge. J.E. Green, pp 98-99.

FLIGHT CONTROL

Collision avoidance within flight dynamics constraints for UAV applications. R.W. Penney, pp 193-199.
Dynamic gain-scheduled control of the ICE 101-TV. T.S. Richardson, M.H. Lowenburg and C.D.C. Jones, pp 593-607.
Flight control system damage simulation using freely flying models. S. Sadovnychiy, A. Ryzhenko and A. Betin, pp 45-50.
Semi-optimal co-ordinated manoeuvres for aircraft conflict resolution. J. Parastari and M.B. Malaek, pp 313-323.
Simulation and flight test of a temperature sensing stabilisation system. P. Herrmann and C. Bil, pp 167-175.
The birth of the practical aeroplane: An appraisal of the Wright brothers' achievements. G.D. Padfield and B. Lawrence, pp 421-437.

FLIGHT SIMULATION

Integrated design of flight simulator motion cueing systems. R. Hosman, S. Advani and N. Haeck, p 1.

HISTORY

The birth of the practical aeroplane: An appraisal of the Wright brothers' achievements. G.D. Padfield and B. Lawrence, pp 421-437.

HUMAN FACTORS

A novel approach to encouraging proper fatigue management in British Army aviation training and operations. R.P. King, pp 293-298.

INDUSTRY

Trade disputes in the commercial aircraft industry: A background note. K. Hayward, pp 157-166.

JETS

2D numerical study of circular synthetic jets in quiescent flows. H. Tang and S. Zhong, pp 89-97.
Dye visualisation of inclined and skewed synthetic jets in a cross flow. S. Zhong, L. Garcillan and N.J Wood, pp 147-155.
Industry applications of advanced flow diagnostics experience in the BAE Systems ground effects rig. P. Curtis, pp 119-127.
Investigation into clustering of synthetic jet actuators. S.C. Liddle and N.J. Wood, pp 35-44.
PIV measurements in a twin-jet STOVL fountain flow. P.M. Cabrita, A.J. Saddington and K. Knowles, pp 439-449.
The behaviour of circular synthetic jets in a laminar boundary layer. S. Zhong, F. Millet, and N.J. Wood, pp 461-470.

LIGHTER THAN AIR

Development of an airship for tropical rain forest canopy exploration. G.E. Dorrington, pp 361-372.

PROPULSION

A numerical study on the mixing of air and hydrogen in a scramjet combustor. M. Ali and T. Fujiwara, pp 325-335.
Comprehensive validation of an intermittency transport model for

transitional low-pressure turbine flows. Y.B. Suzen and P.G. Huang, pp 101-118.
Design and structural analysis of a thrust chamber for a spinning supersonic rocket – a case study. K.M. Rajan and K. Narasimhan, pp 187-192.
Infra-red signature reduction study on a small-scale jet engine. J. Dix, A.J. Saddington, K. Knowles and M.A. Richardson, pp 83-88.
Jet thrust vectoring using a miniature fluidic oscillator. G. Raman, S. Packiarajan, G. Papadopoulos, C. Weissman and S. Raghu, pp 129-138.
Limited life engines for UAVs. I.K. Clark, pp 247-254.
Neuro-fuzzy approach for performance optimisation of variable nozzle turbofan engine. T.R. Nada and A.A. Hashem, pp 139-146.
Numerical simulation of rim seal flows in axial turbines. J. Boudet, V.N.D. Autef, J.W. Chew, N.J. Hills and O. Gentilhomme, pp 373-383.
Solar-powered space flight. M.H.D. Kemp, pp 619-670.

ROTORCRAFT
Acoustic validation of a new code using particle wake aerodynamics and geometrically-exact beam structural dynamics. F. Nitzsche and D.G. Opoku, pp 257-267.
Design of composite helicopter rotor blades to meet given cross-sectional properties. S.L. Lemanski, P.M. Weaver, G.F.J. Hill, pp 471-475.

SAFETY
A civil aviation safety assessment model using a Bayesian belief network (BBN). R. Greenberg, S.C. Cook and D. Harris, pp 557-568.
A novel approach to encouraging proper fatigue management in British Army aviation training and operations. R.P. King, pp 293-298.
Equipment failures in ATC: Finding an appropriate safety target. B. Subotic, W. Ochieng and A. Majumdar, pp 277-284.
Semi-optimal co-ordinated manoeuvres for aircraft conflict resolution. J. Parastari and M.B. Malaek, pp 313-323.

SHOCK WAVES
Experiments on the hypersonic turbulent shock-wave/boundary-layer interaction and the effects of surface roughness. S.A. Prince, M. Vannahme and J.L. Stollery, pp 177-185.
Normal shock wave/turbulent boundary-layer interaction control using 'smart' piezoelectric actuators. J.S. Couldrick, S.L. Gai, J.F. Milthorpe and K. Shankar, pp 577-583.
Shock-wave induced instability in internal explosion dynamics. A. Bagabir and D. Drikakis, pp 537-556.

STRUCTURES
Design and structural analysis of a thrust chamber for a spinning supersonic rocket – a case study. K.M. Rajan and K. Narasimhan, pp 187-192.
Optimum design for buckling of arbitrary shaped ribs under uncertain loads. A.C. Conrado, A.R. de Faria and S.F.M. de Almeida, pp 609-618.

TESTING FACILITIES AND TECHNIQUES
Application of Java and VRML visualisation tools in store release wind-tunnel testing. D.M. Orchard, M. Ahmadi and F.C. Tang, pp 569-576.
Experimental investigation of the effect of nozzle shape and test section perforation on the stationary and non-stationary characteristics. V.I. Biryukov, S.A. Glazkov, A.R. Gorbushin, A.I. Ivanov and A.V. Semenov, pp 75-82.
Industry applications of advanced flow diagnostics experience in the BAE Systems ground effects rig. P. Curtis, pp 119-127.
Kite performance testing by flying in a circle. J. Stevenson, K. Alexander and P. Lynn, pp 269-276.
Utilising flight test telemetry data to improve store trajectory simulations. A.T. Cenko, A.G. Piranian and S. Denihan, pp 349-357.

UNMANNED AIR VEHICLES
Bio-inspired design of flapping-wing micro air vehicles. K.D. Jones, C.J. Bradshaw, J. Papadopoulos and M.F. Platzer, pp 385-393.
Collision avoidance within flight dynamics constraints for UAV applications. R.W. Penney, pp 193-199.
Computational fluid dynamics study of unconventional air vehicle configurations. R. Ramamurti, W. Sandberg, P. Vaiana, J. Kellogg and D. Cylinder, pp 337-347.
Limited life engines for UAVs. I.K. Clark, pp 247-254.
Simulation and flight test of a temperature sensing stabilisation system. P. Herrmann and C. Bil, pp 167-175.

UNSTEADY AERODYNAMICS
A review of some recent developments in flow control. P.R. Ashill, J.L. Fulker and K.C. Hackett, pp 205-232.
Experiments on the hypersonic turbulent shock-wave/boundary-layer interaction and the effects of surface roughness. S.A. Prince, M. Vannahme and J.L. Stollery, pp 177-185.
Low frequency behaviour of the subsonic doublet lattice method. L. van Zyl, pp 285-291.
Normal shock wave/turbulent boundary-layer interaction control using 'smart' piezoelectric actuators. J.S. Couldrick, S.L. Gai, J.F. Milthorpe and K. Shankar, pp 577-583.
PIV measurements in a twin-jet STOVL fountain flow. P.M. Cabrita, A.J. Saddington and K. Knowles, pp 439-449.
Progress toward CFD for full flight envelope. E.N. Tinoco, D.R. Bogue, T-J. Kao, N.J. Yu, P. Li and D.N. Ball, pp 451-460.

VIBRATION
Acoustic validation of a new code using particle wake aerodynamics and geometrically-exact beam structural dynamics. F. Nitzsche and D.G. Opoku, pp 257-267.
Modelling and vibration of thin-walled rotating composite blades featuring extension-twist elastic coupling. S-Y. Oh, L. Librescu and O. Song, pp 233-246.

WAKES
Comprehensive validation of an intermittency transport model for transitional low-pressure turbine flows. Y.B. Suzen and P.G. Huang, pp 101-118.
The vortex merger factor in aircraft wake turbulence. M. Mokry, pp 13-22.

Author Index

ADVANI, S., HAECK, N. and HOSMAN, R.
Integrated design of flight simulator motion cueing systems, p 1.

AHMADI, M., TANG, F.C. and ORCHARD, D.M.
Application of Java and VRML visualisation tools in store release wind-tunnel testing, pp 569-576.

ALEXANDER, K., LYNN, P. and STEVENSON, J.
Kite performance testing by flying in a circle, pp 269-276.

ALI, M. and FUJIWARA, T.
A numerical study on the mixing of air and hydrogen in a scramjet combustor, pp 325-335.

DE ALMEIDA, S.F.M., CONRADO, A.C. and DE FARIA, A.R.
Optimum design for buckling of arbitrary shaped ribs under uncertain loads, pp 609-618.

ASHILL, P.R., FULKER, J.L. and HACKETT, K.C.
A review of some recent developments in flow control, pp 205-232.

ASHWORTH, R.M.
Prediction of acoustic resonance phenomena for cavities using detached eddy simulations, pp 631-638.

AUTEF, V.N.D., CHEW, J.W., HILLS, N.J., GENTILHOMME, O. and BOUDET, J.
Numerical simulation of rim seal flows in axial turbines, pp 373-383.

BAGABIR, A. and DRIKAKIS, D.
Shock-wave induced instability in internal explosion dynamics, pp 537-556.

BALL, D.N., TINOCO, E.N., BOGUE, D.R., KAO, T-J., YU, N.J. and LI, P.
Progress toward CFD for full flight envelope, pp 451-460.

BETIN, A, SADOVNYCHIY, S. and RYZHENKO, A.
Flight control system damage simulation using freely flying models, pp 45-50.

BETIN, A., SADOVNYCHIY, S. and RYZHENKO, A.
Flight control system damage simulation using freely flying models, pp 45-50.

BIL, C. and HERRMANN, P.
Simulation and flight test of a temperature sensing stabilisation system, pp 167-175.

BIRYUKOV, V.I., GLAZKOV, S.A., GORBUSHIN, A.R., IVANOV, A.I. and SEMENOV, A.V.
Experimental investigation of the effect of nozzle shape and test section perforation on the stationary and non-stationary characteristics, pp 75-82.

BOGUE, D.R., KAO, T-J., YU, N.J., LI, P., BALL, D.N. and TINOCO, E.N.
Progress toward CFD for full flight envelope, pp 451-460.

BOUDET, J., AUTEF, V.N.D., CHEW, J.W., HILLS, N.J. and GENTILHOMME, O.
Numerical simulation of rim seal flows in axial turbines, pp 373-383.

BRADSHAW, C.J., PAPADOPOULOS, J., PLATZER, M.F. and JONES, K.D.
Bio-inspired design of flapping-wing micro air vehicles, pp 385-393.

CABRITA, P.M., SADDINGTON, A.J. and KNOWLES, K.
PIV measurements in a twin-jet STOVL fountain flow, pp 439-449.

CAO, Y., CHEN, Y. and ZHOU, Y.
Studies of capacity estimation of the airport with two parallel runways, pp 395-401.

CENKO, A.T., PIRANIAN, A.G. and DENIHAN, S.
Utilising flight test telemetry data to improve store trajectory simulations, pp 349-357.

CHEN, Y., ZHOU, Y. and CAO, Y.
Studies of capacity estimation of the airport with two parallel runways, pp 395-401.

CHEW, J.W., HILLS, N.J., GENTILHOMME, O., BOUDET, J. and AUTEF, V.N.D.
Numerical simulation of rim seal flows in axial turbines, pp 373-383.

CLARK, I.K.
Limited life engines for UAVs, pp 247-254.

CONRADO, A.C., DE FARIA, A.R. and DE ALMEIDA, S.F.M.
Optimum design for buckling of arbitrary shaped ribs under uncertain loads, pp 609-618.

COOK, S.C., HARRIS, D. and GREENBERG, R.
A civil aviation safety assessment model using a Bayesian belief network (BBN), pp 557-568.

COULDRICK, J.S., GAI, S.L., MILTHORPE, J.F. and SHANKAR, K.
Normal shock wave/turbulent boundary-layer interaction control using 'smart' piezoelectric actuators, pp 577-583.

CURTIS, P.
Industry applications of advanced flow diagnostics experience in the BAE Systems ground effects rig, pp 119-127.

CYLINDER, D., RAMAMURTI, R., SANDBERG, W., VAIANA, P. and KELLOGG, J.
Computational fluid dynamics study of unconventional air vehicle configurations, pp 337-347.

DENIHAN, S., CENKO, A.T. and PIRANIAN, A.G.
Infra-red signature reduction study on a small-scale jet engine, pp 83-88.

DIX, J., SADDINGTON, A.J., KNOWLES, K. and RICHARDSON, M.A.
Development of an airship for tropical rain forest canopy exploration, pp 361-372.

DORRINGTON, G.E.
Shock-wave induced instability in internal explosion dynamics, pp 537-556.

DRIKAKIS, D. and BAGABIR, A.
Evaluation of CFD methods for transport aircraft high lift systems, pp 53-64.

ELIASSON, P, PERRAUD, J. and RUDNIK, R.
Optimum design for buckling of arbitrary shaped ribs under uncertain loads, pp 609-618.

DE FARIA, A.R., DE ALMEIDA, S.F.M. and CONRADO, A.C.
Utilising flight test telemetry data to improve store trajectory simulations, pp 349-357.

FUJIWARA, T. and ALI, M.
A numerical study on the mixing of air and hydrogen in a scramjet combustor, pp 325-335.

FULKER, J.L., HACKETT, K.C. and ASHILL, P.R.
A review of some recent developments in flow control, pp 205-232.

GAI, S.L., MILTHORPE, J.F., SHANKAR, K. and COULDRICK, J.S.
Normal shock wave/turbulent boundary-layer interaction control using 'smart' piezoelectric actuators, pp 577-583.

GARCILLAN, L., WOOD, N.J and ZHONG, S.
Dye visualisation of inclined and skewed synthetic jets in a cross flow, pp 147-155.

GENTILHOMME, O., BOUDET, J., AUTEF, V.N.D., CHEW, J.W. and HILLS, N.J.
Numerical simulation of rim seal flows in axial turbines, pp 373-383.

GLAZKOV, S.A., GORBUSHIN, A.R., IVANOV, A.I., SEMENOV, A.V. and BIRYUKOV, V.I.
Experimental investigation of the effect of nozzle shape and test section perforation on the stationary and non-stationary characteristics, pp 75-82.

GORBUSHIN, A.R., IVANOV, A.I., SEMENOV, A.V., BIRYUKOV, V.I. and GLAZKOV, S.A.
Experimental investigation of the effect of nozzle shape and test section perforation on the stationary and non-stationary characteristics, pp 75-82.

GORDNIER, R.E. and VISBAL, M.R.
High-fidelity computational simulation of nonlinear fluid-structure interactions, pp 301-312.

GREEN, J.E.
Air Travel – Greener by Design Mitigating the environmental impact of aviation: Opportunities and priorities, pp 361-416.
Erratum: Greener by Design – The technology challenge, pp 98-99.

GREENBERG, R., COOK, S.C. and HARRIS, D.
A civil aviation safety assessment model using a Bayesian belief network (BBN), pp 557-568.

HACKETT, K.C., ASHILL, P.R. and FULKER, J.L.
A review of some recent developments in flow control, pp 205-232.

HAECK, N., HOSMAN, R. and ADVANI, S.
Integrated design of flight simulator motion cueing systems, p 1.

HARRIS, D., GREENBERG, R. and COOK, S.C.
A civil aviation safety assessment model using a Bayesian belief network (BBN), pp 557-568.

HASHEM, A.A. and NADA, T.R.
Neuro-fuzzy approach for performance optimisation of variable nozzle turbofan engine, pp 139-146.

HASTINGS, R.C.
Technical Note: A theoretical description of viscous flow along a flat plate, pp 585-589.

HAYWARD, K.
Trade disputes in the commercial aircraft industry: A background note, pp 157-166.

HERRMANN, P. and BIL, C.
Simulation and flight test of a temperature sensing stabilisation system, pp 167-175.

HILL, G.F.J., LEMANSKI, S.L. and WEAVER, P.M.
Design of composite helicopter rotor blades to meet given cross-sectional properties, pp 471-475.

HILLS, N.J., GENTILHOMME, O., BOUDET, J., AUTEF, V.N.D. and CHEW, J.W.
Numerical simulation of rim seal flows in axial turbines, pp 373-383.

HOSMAN, R., ADVANI, S. and HAECK, N.
Integrated design of flight simulator motion cueing systems, p 1.

HUANG, P.G. and SUZEN, Y.B.
Comprehensive validation of an intermittency transport model for transitional low-pressure turbine flows, pp 101-118.

IVANOV, A.I., SEMENOV, A.V., BIRYUKOV, V.I., GLAZKOV, S.A. and GORBUSHIN, A.R.
Experimental investigation of the effect of nozzle shape and test section perforation on the stationary and non-stationary characteristics, pp 75-82.

JONES, C.D.C., RICHARDSON, T.S. and LOWENBURG, M.H.
Dynamic gain-scheduled control of the ICE 101-TV, pp 593-607.

JONES, K.D., BRADSHAW, C.J., PAPADOPOULOS, J. and PLATZER, M.F.
Bio-inspired design of flapping-wing micro air vehicles, pp 385-393.

KAO, T-J., YU, N.J., LI, P., BALL, D.N.TINOCO, E.N. and BOGUE, D.R.
Progress toward CFD for full flight envelope, pp 451-460.

KELLOGG, J., CYLINDER, D.RAMAMURTI, R., SANDBERG, W. and VAIANA, P.
Computational fluid dynamics study of unconventional air vehicle configurations, pp 337-347.

KEMP, M.H.D.
Solar-powered space flight, pp 619-670.

KING, R.P.
A novel approach to encouraging proper fatigue management in British Army aviation training and operations, pp 293-298.

KNOWLES, K., CABRITA, P.M. and SADDINGTON, A.J.
Infra-red signature reduction study on a small-scale jet engine, pp 83-88.

KNOWLES, K., RICHARDSON, M.A., DIX, J. and SADDINGTON, A.J.
PIV measurements in a twin-jet STOVL fountain flow, pp 439-449.

LAWRENCE, B. and PADFIELD, G.D.
The birth of the practical aeroplane: An appraisal of the Wright brothers' achievements, pp 421-437.

LEMANSKI, S.L., WEAVER, P.M. and HILL, G.F.J.
Design of composite helicopter rotor blades to meet given cross-sectional properties, pp 471-475.

LI, P., BALL, D.N., TINOCO, E.N., BOGUE, D.R., KAO, T-J. AND YU, N.J.
Progress toward CFD for full flight envelope, pp 451-460.

LIBRESCU, L., SONG, O. and OH, S-Y.
Modelling and vibration of thin-walled rotating composite blades featuring extension-twist elastic coupling, pp 233-246.

LIDDLE, S.C. and WOOD, N.J.
Investigation into clustering of synthetic jet actuators, pp 35-44.

LOWENBURG, M.H., JONES, C.D.C. and RICHARDSON, T.S.
Dynamic gain-scheduled control of the ICE 101-TV, pp 593-607.

LU, S.F. and WANG, J.J.
Effects of leading-edge bevel angle on the aerodynamic forces of a non-slender 50° delta wing, pp 403-407.

LYNN, P., STEVENSON, J. and ALEXANDER, K.
Kite performance testing by flying in a circle, pp 269-276.

MAJUMDAR, A., SUBOTIC, B. and OCHIENG, W.
Equipment failures in ATC: Finding an appropriate safety target, pp 277-284.

MALAEK, M.B. and PARASTARI, J.
Semi-optimal co-ordinated manoeuvres for aircraft conflict resolution, pp 313-323.

MILLET, F., WOOD, N.J. and ZHONG, S.
The behaviour of circular synthetic jets in a laminar boundary layer, pp 461-470.

MILTHORPE, J.F., SHANKAR, K., COULDRICK, J.S. and GAI, S.L.
Normal shock wave/turbulent boundary-layer interaction control using 'smart' piezoelectric actuators, pp 577-583.

MOKRY, M.
The vortex merger factor in aircraft wake turbulence, pp 13-22.

NADA, T.R. and HASHEM, A.A.
Neuro-fuzzy approach for performance optimisation of variable nozzle turbofan engine, pp 139-146.

NARASIMHAN, K. and RAJAN, K.M.
Design and structural analysis of a thrust chamber for a spinning supersonic rocket – a case study, pp 187-192.

NITZSCHE, F. and OPOKU, D.G.
Acoustic validation of a new code using particle wake aerodynamics and geometrically-exact beam structural dynamics, pp 257-267.

OCHIENG, W., MAJUMDAR, A. and SUBOTIC, B.
Equipment failures in ATC: Finding an appropriate safety target, pp 277-284.

OH, S-Y., LIBRESCU, L. and SONG, O.
Modelling and vibration of thin-walled rotating composite blades featuring extension-twist elastic coupling, pp 233-246.

OPOKU, D.G. and NITZSCHE, F.
Acoustic validation of a new code using particle wake aerodynamics and geometrically-exact beam structural dynamics, pp 257-267.

ORCHARD, D.M., AHMADI, M. and TANG, F.C.
Application of Java and VRML visualisation tools in store release wind-tunnel testing, pp 569-576.

PACKIARAJAN, S., PAPADOPOULOS, G., WEISSMAN, C., RAGHU, S. and RAMAN, G.
Jet thrust vectoring using a miniature fluidic oscillator, pp 129-138.

PADFIELD, G.D. and LAWRENCE, B.
The birth of the practical aeroplane: An appraisal of the Wright brothers' achievements, pp 421-437.

PAPADOPOULOS, G., WEISSMAN, C, RAGHU, S,.RAMAN, G. and PACKIARAJAN, S.
Jet thrust vectoring using a miniature fluidic oscillator, pp 129-138.

PAPADOPOULOS, J., PLATZER, M.F., JONES, K.D. and BRADSHAW, C.J.
Bio-inspired design of flapping-wing micro air vehicles, pp 385-393.

PARASTARI, J. and MALAEK, M.B.
Semi-optimal co-ordinated manoeuvres for aircraft conflict resolution, pp 313-323.

PENNEY, R.W.
Collision avoidance within flight dynamics constraints for UAV applications, pp 193-199.

PERRAUD, J., RUDNIK, R. and ELIASSON, P.
Evaluation of CFD methods for transport aircraft high lift systems, pp 53-64.

PIRANIAN, A.G., DENIHAN, S. and CENKO, A.T.
Utilising flight test telemetry data to improve store trajectory simulations, pp 349-357.

PLATZER, M.F., JONES, K.D., BRADSHAW, C.J. and PAPADOPOULOS, J.
Bio-inspired design of flapping-wing micro air vehicles, pp 385-393.

PRINCE, S.A., VANNAHME, M. and STOLLERY, J.L.
Experiments on the hypersonic turbulent shock-wave/boundary-layer interaction and the effects of surface roughness, pp 177-185.

RAGHU, S., RAMAN, G., PACKIARAJAN, S., PAPADOPOULOS, G. and WEISSMAN, C.
Jet thrust vectoring using a miniature fluidic oscillator, pp 129-138.

RAJAN, K.M. and NARASIMHAN, K.
Design and structural analysis of a thrust chamber for a spinning supersonic rocket – a case study, pp 187-192.

RAMAMURTI, R., SANDBERG, W., VAIANA, P., KELLOGG, J. and CYLINDER, D.
Computational fluid dynamics study of unconventional air vehicle configurations, pp 337-347.

RAMAN, G., PACKIARAJAN, S., PAPADOPOULOS, G., WEISSMAN, C. and RAGHU, S.
Jet thrust vectoring using a miniature fluidic oscillator, pp 129-138.

RICHARDSON, M.A., DIX, J., SADDINGTON, A.J. and KNOWLES, K.
Infra-red signature reduction study on a small-scale jet engine, pp 83-88.

RICHARDSON, T.S., LOWENBURG, M.H. and JONES, C.D.C.
Dynamic gain-scheduled control of the ICE 101-TV, pp 593-607.

RUDNIK, R., ELIASSON, P. and PERRAUD, J.
Evaluation of CFD methods for transport aircraft high lift systems, pp 53-64.

SADDINGTON, A.J., KNOWLES, K. and CABRITA, P.M.
PIV measurements in a twin-jet STOVL fountain flow, pp 439-449.

SADDINGTON, A.J., KNOWLES, K. and RICHARDSON, M.A. and DIX, J.
Infra-red signature reduction study on a small-scale jet engine, pp 83-88.

SADOVNYCHIY, S., RYZHENKO, A. and BETIN, A.
Flight control system damage simulation using freely flying models, pp 45-50.

SANDBERG, W., VAIANA, P., KELLOGG, J., CYLINDER, D. and RAMAMURTI, R.
Computational fluid dynamics study of unconventional air vehicle configurations, pp 337-347.

SCHRAUF, G.
Status and perspectives of laminar flow, pp 639-644.

SEMENOV, A.V., BIRYUKOV, V.I., GLAZKOV, S.A., GORBUSHIN, A.R. and IVANOV, A.I.
Experimental investigation of the effect of nozzle shape and test section perforation on the stationary and non-stationary characteristics, pp 75-82.

SHANKAR, K., COULDRICK, J.S., GAI, S.L. and MILTHORPE, J.F.
Normal shock wave/turbulent boundary-layer interaction control using 'smart' piezoelectric actuators, pp 577-583.

SONG, O., OH, S-Y. and LIBRESCU, L.
Modelling and vibration of thin-walled rotating composite blades featuring extension-twist elastic coupling, pp 233-246.

STEVENSON, J., ALEXANDER, K. and LYNN, P.
Kite performance testing by flying in a circle, pp 269-276.

STOLLERY, J.L., PRINCE, S.A. and VANNAHME, M.
Experiments on the hypersonic turbulent shock-wave/boundary-layer interaction and the effects of surface roughness, pp 177-185.

SUBOTIC, B., OCHIENG, W. and MAJUMDAR, A.
Equipment failures in ATC: Finding an appropriate safety target, pp 277-284.

SUZEN, Y.B. and HUANG, P.G.
Comprehensive validation of an intermittency transport model for transitional low-pressure turbine flows, pp 101-118.

TANG, F.C., ORCHARD, D.M. and AHMADI, M.
Application of Java and VRML visualisation tools in store release wind-tunnel testing, pp 569-576.

TANG, H. and ZHONG, S.
2D numerical study of circular synthetic jets in quiescent flows, pp 89-97.

TIMMIN, B.
Life before and after implementation of an acoustic noise reduction enclosure, pp 65-74.

TINOCO, E.N., BOGUE, D.R., KAO, T-J., YU, N.J., LI, P. and BALL, D.N.
Progress toward CFD for full flight envelope, pp 451-460.

TIZZI, S.
Polynomial series expansion for optimisation of wing plane structures in idealised critical flutter conditions, pp 23-33.

VAIANA, P., KELLOGG, J., CYLINDER, D., RAMAMURTI, R. and SANDBERG, W.
Computational fluid dynamics study of unconventional air vehicle configurations, pp 337-347.

VAN ZYL, L.
Experiments on the hypersonic turbulent shock-wave/boundary-layer interaction and the effects of surface roughness, pp 177-185.

VANNAHME, M., STOLLERY, J.L. and PRINCE, S.A.
High-fidelity computational simulation of nonlinear fluid-structure interactions, pp 301-312.

VISBAL, M.R. and GORDNIER, R.E.
Effects of leading-edge bevel angle on the aerodynamic forces of a non-slender 50° delta wing, pp 403-407.

WANG, J.J. and LU, S.F.
Design of composite helicopter rotor blades to meet given cross-sectional properties, pp 471-475.

WEAVER, P.M., HILL, G.F.J. and LEMANSKI, S.L.
Jet thrust vectoring using a miniature fluidic oscillator, pp 129-138.

WEISSMAN, C., RAGHU, S. RAMAN, G., PACKIARAJAN, S., and PAPADOPOULOS, G.
Dye visualisation of inclined and skewed synthetic jets in a cross flow, pp 147-155.

WOOD, N.J, ZHONG, S. and GARCILLAN, L.
Investigation into clustering of synthetic jet actuators, pp 35-44.

WOOD, N.J. and LIDDLE, S.C.
The behaviour of circular synthetic jets in a laminar boundary layer, pp 461-470.

WOOD, N.J., ZHONG, S. and MILLET, F.
Progress toward CFD for full flight envelope, pp 451-460.

YU, N.J., LI, P., BALL, D.N., TINOCO, E.N., BOGUE, D.R. and KAO, T-J.
2D numerical study of circular synthetic jets in quiescent flows, pp 89-97.

ZHONG, S. and TANG, H.
Dye visualisation of inclined and skewed synthetic jets in a cross flow, pp 147-155.

ZHONG, S., GARCILLAN, L. and WOOD, N.J.
The behaviour of circular synthetic jets in a laminar boundary layer, pp 461-470.

ZHONG, S., MILLET, F. and WOOD, N.J.
Studies of capacity estimation of the airport with two parallel runways, pp 395-401.

ZHOU, Y., CAO, Y. and CHEN, Y.
Low frequency behaviour of the subsonic doublet lattice method, pp 285-291.

Volume CIX

Number 1091	January	pp 1-51
Number 1092	February	pp 53-99
Number 1093	March	pp 101-156
Number 1094	April	pp 157-203
Number 1095	May	pp 205-255
Number 1096	June	pp 257-298
Number 1097	July	pp 301-359
Number 1098	August	pp 361-419
Number 1099	September	pp 361-419
Number 1100	October	pp 421-475
Number 1101	November	pp 537-591
Number 1102	December	pp 593-656